

**LIFE TAKES A LEAP.**  
**With Maruti Suzuki Celerio.**



**CELERIO**  
Life takes a leap

**THE BEST A CAR  
HAS TO OFFER.**

When you get style, technology, features and comfort all in one car, your driving experience is bound to take a leap, in the right direction. Maruti Suzuki Celerio is equipped with amazing features and the very best of technology. Its Bluetooth-enabled stereo system and steering-mounted audio controls ensure entertainment like no other. The superb CICO styling invites admiration while the K-next engine gives you a peppy drive on city roads. And with its great cabin space and superb mileage, it's no wonder that Celerio is an experience that will leave you more than satisfied.



BEST-IN-CLASS  
FUEL EFFICIENCY  
**23.1**  
km/l\*  
FOR AUTO GEAR SHIFT  
AND MANUAL

\*Test results of Rule 115 of CMVR, 1989



## EZ DRIVE

The breakthrough EZ Drive technology is here to transform your driving experience forever, with the revolutionary Auto Gear Shift and an all-new manual transmission.

Now you no more need to change gears or stress about fuel bills with Auto Gear Shift.

The all-new manual transmission of Celerio has been developed to offer an exciting and smooth drive. This EZ drive experience will make your drive truly enjoyable.

**NO MORE CHANGING GEARS  
WITH INDIA'S FIRST\***



# First in passenger cars



## EZ STYLE

- CICO (Curve In Curve Out) styling
- Big road presence
- Sweeping wave-dash design

## EZ GIZMOZ

- Stereo with Bluetooth connectivity
- Steering-mounted audio controls
- Multi-info display
- User-friendly customisable security settings



## EZ SPACE

- XpanDesign
  - Roomy cabin
  - Spacious headroom, legroom and shoulder room
  - Large boot space
- 15 smart-utility spaces

## EZ TECHNOLOGY

- K-Next Engine with Drive-by-Wire
- All-new transmission



# EQUIPMENT LIST

Variants	PETROL											
	LXi AMT	LXi MT	LXi AMT (O)	LXi MT (O)	VXi AMT	VXi MT	VXi AMT(O)	VXi MT(O)	ZXi AMT	ZXi MT	ZXi AMT (O)	ZXi MT (Opt)
<b>Exterior</b>												
Coloured outside door handle	X	X	X	X	X	X	X	X	✓	✓	✓	✓
Coloured door mirror	X	X	X	X	X	X	X	X	✓	✓	✓	✓
ORVM with turn indicators	X	X	X	X	X	X	X	X	✓	✓	✓	✓
Front fog lamps	X	X	X	X	X	X	X	X	X	X	X	✓
Body-coloured bumper	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Grill	Material	Material	Material	Material	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome
Full wheel covers	X (Center cap)	X (Center cap)	X (Center cap)	X (Center cap)	✓	✓	✓	✓	✓	✓	✓	X
Alloy wheels	X	X	X	X	X	X	X	X	X	X	X	✓
<b>Interior</b>												
Ticket holder in sunvisor (Driver)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Co-Dr Vanity mirror in sunvisor	X	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓
Door trim fabric - Front door	X	X	X	X	X	X	X	X	✓	✓	✓	✓
Day night IRVM	X	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓
Assist grips	3	3	3	3	3	3	3	3	3	3	3	3
Cabin light (3-position)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Floor carpet (needle punch)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Drink holder	5	5	5	5	5	5	5	5	5	5	5	5
Rear luggage shelf	X	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓
Driver seat height adjuster	X	X	X	X	X	X	X	X	X	X	X	✓
Integrated front headrest	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Front-seat back pockets (Passenger side)	X	X	X	X	X	X	X	X	✓	✓	✓	✓
Rear seat (60:40 split)	X	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓
Rear headrest	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
<b>Comfort and Convenience</b>												
Air conditioner (Manual)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Heater	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Audio with Radio, CD, USB, AUX-in & Bluetooth	X	X	X	X	X	X	X	X	✓	✓	✓	✓
Antenna	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
No. of speakers	X	X	X	X	X	X	X	X	4	4	4	4
Keyless entry (5 Doors)	X	X	X	X	X	X	X	X	✓	✓	✓	✓
Security system	X	X	X	X	X	X	X	X	X	X	X	✓
Central door lock (5 Doors)	X	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓
Fuel lid opener	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Electric windows (Power windows)	X	X	X	X	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr
Power windows - Auto down (Driver side)	X	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓
Outside mirrors type	Pivot	Pivot	Pivot	Pivot	Inside Manual	Inside Manual	Inside Manual	Inside Manual	Electrically adjustable	Electrically adjustable	Electrically adjustable	Electrically adjustable
Audio controls in steering wheel	X	X	X	X	X	X	X	X	✓	✓	✓	✓
Power steering	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<b>Central Console &amp; Instrument Panel</b>												
Illumination colour	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber
Tachometer	✓	X	✓	X	✓	X	✓	X	✓	✓	✓	✓
Urethane steering wheel	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Tilt steering	X	X	X	X	X	X	X	X	✓	✓	✓	✓
Low-fuel warning lamp	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Door ajar warning light	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Key off reminder/headlamp on reminder	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Driver's seat belt warning lamp	X	X	X	X	X	X	X	X	✓	✓	✓	✓
Information display integrated into instrument cluster	Fuel consumption indication	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Distance-to-empty indication	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Digital clock	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Accessory socket	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Glove box lid	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Dial-type climate control	Black	Black	Black	Black	Silver Painted	Silver Painted	Silver Painted	Silver Painted				
Gear position indicator	✓	X	✓	X	✓	X	✓	X	✓	X	✓	X
<b>Safety and Security</b>												
Front airbags	X	X	(Dr+Co Dr)	(Dr+Co Dr)	X	X	(Dr+Co Dr)	(Dr+Co Dr)	Dr	Dr	(Dr+Co Dr)	(Dr+Co Dr)
ABS	X	X	✓	✓	X	X	✓	✓	X	X	✓	✓
Rear center seat belt (2 pt)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Head light leveling	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Rear-window wiper & washer	X	X	X	X	X	X	X	X	✓	✓	✓	✓
High-mounted stop lamp	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Front ventilated disc	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Immobilizer	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Child-proof rear door locks	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Front wipers - with intermittent	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Front washer	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Rear-window demister	X	X	X	X	X	X	X	X	✓	✓	✓	✓
Outside air temperature display	✓	X	✓	X	✓	X	✓	X	✓	X	✓	X

Fr-Front, Rr-Rear, Dr-Driver, MT-Manual Transmission, AMT - Automatic Manual Transmission, O/Opt-Optional

# SPECIFICATION SHEET

SPECIFICATION SHEET	PETROL	DIESEL	CNG
<b>Dimensions (in mm)</b>			
Overall length	3600	3600	3600
Overall width	1600	1600	1600
Overall height	1560	1560	1560
Wheelbase	2425	2425	2425
Tread	Front	1420	1420
	Rear	1410	1410
Minimum ground clearance	165	165	165
<b>Dimensions (in m)</b>			
Minimum turning radius	4.7	4.7	4.7
<b>Engine</b>			
Type	K10B	DDiS diesel engine	K10B
Capacity	998 cc	793 cc	998 cc
Engine Type	Aluminium	Aluminium	Aluminium
Number of cylinders	3	2	3
Number of valves in each cylinder	4	4	4
Maximum output (kW/rpm)	50@6000	35@3500	Petrol Mode: 50@6000
			CNG Mode: 43.5@6000
Maximum torque (Nm/rpm)	90@3500	125@2000	Petrol Mode: 90@3500
			CNG Mode: 78@3500
Emission standard type	BS4+OBD II	BS4+OBD II	BS4+OBD II
Accelerator pedal type	Electric type	Electric type	Electric type
<b>Transmission</b>			
Type	5MT/ Auto Gear Shift	5MT	5MT
<b>Suspension System</b>			
Front	McPherson strut with coil spring	McPherson strut with coil spring	McPherson strut with coil spring
Rear	Coupled torsion beam axle with coil spring	Coupled torsion beam axle with coil spring	Coupled torsion beam axle with coil spring
<b>Weight (kg)</b>			
Kerb weight (min./with full options)	810/830	880/900	915
Gross vehicle weight	1250	1310	1350
<b>Capacity</b>			
Seating capacity	persons	5	5
Luggage capacity	litres	235	-
Fuel tank capacity	litres	35	35 (Petrol)
			60 (CNG)
<b>Power Steering</b>			
Type	Electronic power steering	Electronic power steering	Electronic power steering
<b>Tyres</b>			
Tyre size*	LXi-155/80R13 VXi & above - 165/70R14	LDi-155/80R13 Vdi & Above 165/7R14	VXi - 165/70R14
<b>Brakes</b>			
Front	Ventilated disc	Ventilated disc	Ventilated disc
Rear	Drum	Drum	Drum



Test drive Celerio today Call 1800 102 1800
   
 MARUTI SUZUKI Way of Life!
   
 SMS CELERIO to 53636 www.marutisuzuki.com/celerio/

Dealer Stamp

Maruti Suzuki India Limited reserves the right to change without notice - price, colours, equipment specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment. For variant specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. 1589 Sales Points, 3083 Service Centres, 1467 cities covered by service network & over 26635 trained sales personnel as on 1<sup>st</sup> March, 2015.

\*Spare wheel material is steel and spare tyre size is LXI -155/80R13, VXI and above - 165/70R14.